Perfusion Computed Tomography as an Effective Method of Diagnosis Liver Hemodynamics in Obstructive Jaundice

V. A. Malakhanov^{1, 2}, P. V. Seliverstov¹

¹ Irkutsk Scientific Center of Surgery and Traumatology

Abstract

The article is based on the results of perfusion computed tomography of the liver in patients with obstruction of the biliary tract of various origins. All patients were divided into 3 degrees of severity of hepatic failure. It is shown that depending on the severity of liver failure, consistently there is a decrease in perfusion of the liver. The data of the research results.

Key words: Perfusion computed tomography of the Liver, Obstructive Jaundice, Multislice Computed Tomography, Biliary Hypertension, Liver Failure.

References

- 1. *Ganeeva E. R., Popov A. V., Ershov A. I.* Changes in Central and hepatic hemodynamics in the perioperative period in patients with cholelithiasis, depending on the functional state of the liver. Meditsinskiy al'manakh. 2013. No. 5 (28). 105–107 (in Russian).
- 2. *Malakhanov V. A., Seliverstov P. V., Gumerov R. R.* Impaired patency of the biliary tract. Sibirsciy Meditsinsciy zhurnal (Irkutsk). 2016. No. 8. P. 5–10 (in Russian).
- 3. *Malakhanov V. A., Seliverstov P. V.* Experience of application of perfusion computed tomography of the liver in obstructive jaundice. Vrach-aspirant. 2017. No. 3.1 (82). P. 182–187 (in Russian).
- 4. *Malakhanov V. A., Seliverstov P. V.* Beam diagnostics with stenosing lesions of the biliary tract. (Review of literature). Acta Biomedica Scientifica. 2017. 1 (113). P. 112–120 (in Russian).
- 5. *Malakhanov V. A., Seliverstov P. V.* Diagnosis of hemodynamic changes of the liver in conditions of biliary hypertension with perfusion computed tomography Acta Biomedica Scientifica. 2017. V. 2. No. 6. P. 137–141 (in Russian).
- 6. *Hansen M. L., Norling R., Lauridsen C.* Computed tomography (CT) perfusion in abdominal cancer: technical aspects diagnostics. 2013. No. 3. P. 261–270.
- 7. *Kim S. H., Kamaya A., Willmann J. K.* CT Perfusion of the liver: principles and applications in oncology. Radiol. 2014. V. 272. No. 2. P. 322–344.
- 8. *Liu C.*, *Song J.L.*, *Lu W.S. et al.* Hepatic Arterial buffer response maintains the homeostasis of graft hemodynamics in patient receiving living donor liver transplantation. Digestive Diseases and Sciences. 2016. V. 61. No. 2. P. 464–473.
- 9. *Miles K.A.*, *Lee T. Y.*, *Goh V. et al.* Current status and guidelines for the assessment of tumour vascular support with dynamic contrast-enhanced computed tomography. European Journal of Radiology. 2012. V. 22 (7). P. 1430–1441.

² Irkutsk City Clinical Hospital № 1

10. Oğul H., Kantarcı M., Genc B., et al. Perfusion CT imaging of the liver: review of clinical applications. Diagn. Interv. Radiol. 2014. No. 20. P. 379-389.

AuthorsMalakhanov Vladlen Alexandrovich, Radiologist, Department of Radiodiagnosis, Irkutsk City Clinical Hospital № 1, Laboratory of Radiology and Minimally Invasive Surgery, Irkutsk Scientific Center of Surgery and Traumatology, research fellow. Address: 1, ul. Bortsov Revolyutsii, Irkutsk, 664003, Russia. Phone number: 8 (950) 052-27-44. E-mail: malakhanow@mail.ru

Seliverstov Pavel Vladimirovich, M. D. Med., Head of Laboratory of Radiology and Minimally Invasive Surgery, Irkutsk Scientific Center of Surgery and Traumatology.
Address: 1, ul. Bortsov Revolyutsii, Irkutsk, 664003, Russia.
E-mail: pavv2001@mail.ru